EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	((((CLR or (common language runtime)) and XML) same protocol). clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2007/07/16 18:30
S63	1393	object template	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2007/07/09 11:22
S64	1396	object template or ((XML) with (query protocol))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2007/07/09 11:24
S65	1	object template and ((XML) with (query protocol))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2007/07/09 11:24
S66	1393	object template or ((XML) with (query protocol)) and ((common language runtime) or (CLR) or (common intermediate language))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2007/07/09 11:26
S67	1393	object template or ((XML) with (query protocol)) and ((common language runtime) and (CLR) or (common intermediate language))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2007/07/09 11:27
S68	1393	object template or ((XML) with (query protocol)) and ((common language runtime) and (CLR) and (common intermediate language))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2007/07/09 11:27
S69	1393	object template or ((XML) with (query protocol)) and ((common language runtime) and (CLR) and (common intermediate language)) and serializ$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2007/07/09 11:28

S70	0	(object template or ((XML) with (query protocol))) and ((common language runtime) and (CLR) and (common intermediate language)) and serializ$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2007/07/09 11:28
S71	0	(object template or ((XML) with (query protocol))) and ((common language runtime) and (CLR) and (common intermediate language))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2007/07/09 11:28
S72	4	(object template or ((XML) with (query protocol))) and ((common language runtime) and (CLR) or (common intermediate language))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2007/07/09 11:28
S73	4	(object template or ((XML) with (query protocol))) and ((common language runtime) and (CLR) or (common intermediate language)) and serializ$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2007/07/09 11:29
S74	1	S73 and (without near10 serializ$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2007/07/09 11:30
S75	3	S73 and (without same serializ$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2007/07/09 12:16
S76	593	(without near5 serializ$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2007/07/09 12:16
S77	433	(without near3 serializ$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2007/07/09 12:16

S78	125	(without serializ$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2007/07/09 12:17
S79	34	(without serializ$5) and quer$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2007/07/09 12:17
S80	2	(without serializ$5) and quer$5 and template and model	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2007/07/09 12:19
S81	6	(without serializ$5) and quer$5 and xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2007/07/10 11:30
S82	2	(without serializ$5) and quer$5 and xml and clr	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2007/07/09 12:20
S83	0	(without serializ$5) and quer$5 and xml and cil	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2007/07/09 12:20
S84	24	((without serializ$5) or (no serializ$5)) and quer$5 and xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2007/07/10 11:30
S85	23	S84 and ((@ad<="20040220") or (@rlad<="20040220"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2007/07/10 12:00

S86	2	(CLR or (common language runtime)) and XML and S85	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2007/07/10 11:32
S87	6	S85 and protocol and evaluat$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2007/07/10 11:32
S88	398	(in$1memory near2 (object or CLR))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2007/07/10 11:58
S89	151	(in$1memory near2 (object or CLR)) and serializ$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2007/07/10 11:59
S90	65	(in$1memory near2 (object or CLR)) and serializ$5 and filter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2007/07/10 11:59
S91	5	(in$1memory near2 (object or CLR)) and serializ$5 and filter and (XPATH or X-PATH)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2007/07/10 11:59
S92	3	S91 and ((@ad<="20040220") or (@rlad<="20040220"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	ADJ	ON	2007/07/10 12:00

Google

+CLR and +XML and query protocol and obje¢ | Search | Advanced Search
                                                         Preferences

The **"AND"** operator is unnecessary -- we include all search terms by default. [details]

Web   Results **1 - 10** of about **470,000** for **+CLR** and **+XML** and query protocol and object and template. (**0.16** seconds)

Evaluating queries against in-memory **objects** without serialization ...
Typically, evaluating an **XML** (extensible Markup Language) **query** against a **CLR**
(Common Language Runtime) **object** required serializing the **CLR object** and ...
www.freepatentsonline.com/20050187908.html - 68k - Cached - Similar pages

Microsoft .NET Framework and Simple **Object** Access **Protocol** and **XML** ...
NET, which is a strong-typed **object query** language (OQL) based on native . ... or Simple
Object Access **Protocol** is an **XML**-based **object** invocation **protocol**. ...
search.techrepublic.com.com/search/Microsoft+.
NET+Framework+and+Simple+**Object**+Access+**Protocol**+and+**XML**.html - 49k -
Cached - Similar pages

Microsoft .NET Framework and Simple **Object** Access **Protocol** ...
NET, which is a strong-typed **object query** language (OQL) based on native . ... It is an
XML based **protocol** that consists of three parts: an envelope that ...
search.techrepublic.com.com/search/Microsoft+.
NET+Framework+and+Simple+**Object**+Access+**Protocol**.html - 51k -
Cached - Similar pages
[More results from search.techrepublic.com.com]

House of Web Services: The Continuing Challenges of **XML** Web ...
While some Web Services will be written exclusively in XSLT or **XML Query** ... If all you
care about is serializing **CLR** or Java **object** graphs into **XML**, ...
msdn.microsoft.com/msdnmag/issues/02/02/WebServ/ - 60k - Cached - Similar pages

MSDN Just Published
Extending SQL Server Reporting Services with SQL **CLR** Table-Valued Functions .... Video:
Visual How to: Using Office Open **XML** File Formats to Retrieve a List ...
msdn.microsoft.com/rss.**xml** - 224k - Cached - Similar pages
[More results from msdn.microsoft.com]

Blog
SMO = SOAP Messaging **Object** = Simple **Object** Access **Protocol** Messaging **Object** ...
WQL = Windows Management Instrumentation **Query** Language ...
dotnetgeek.spaces.live.com/default.aspx?_c01_
BlogPart=blogmgmt&_c=BlogPart&nextPost=true&post... - 57k - Cached - Similar pages

DevelopMentor Developer Resources
COM interop shim for adjusting the **CLR**-managed thread pool using the .... ATL Consumer
Templates for OLE DB 2.5. ADO and **XML** Integration - Aaron Skonnard ...
www.develop.com/technology/default.aspx - 133k - Cached - Similar pages

[PPT] xml.gov/presentations/mitre4/XMLsecurity.ppt
File Format: Microsoft Powerpoint - View as HTML
Extensible Style Language Transformations (XSLT); **XML Query** Language (XQL) ... Simple
Object Access **Protocol** (SOAP) v1.1; SOAP Message With Attachments (SWA ...
Similar pages

O'Reilly - Safari Books Online - 0596005059 - .NET Framework ...
SMTP, Simple Mail Transfer **Protocol**. SOAP, Simple **Object** Access **Protocol**. SQL,
Structured **Query** Language. STL, Standard **Template** Library. ...
safari.oreilly.com/0596005059/dotnetfrmess3-APP-B - Similar pages

---

P⊘RTAL

USPTO

THE ACM DIGITAL LIBRARY

❡ Feedback Report a problem Satisfaction survey

Terms used:
CLR and **XML** and **query protocol** and **object** and **template**

Found **61** of **206,658**

Sort results by | relevance ▼ |
Display results | expanded form ▼ |

❤ Save results to a Binder
? Search Tips
☐ Open results in a new window

Try an Advanced Search
Try this search in The ACM Guide

Results 1 - 20 of 61   Result page: **1** 2 3 4   next

Relevance scale ☐ ▭ ▬ ▬ ■

1 Session 2: Leveraging .NET meta-programming components from F#: integrated ■
queries and interoperable heterogeneous execution
Don Syme
September 2006 **Proceedings of the 2006 workshop on ML ML '06**
Publisher: ACM Press
Full text available: ⬛ pdf(222.81 KB)   Additional Information: full citation, abstract, references, index terms

> Language-integrated meta-programming and extensible compilation have been recurring
> themes of programming languages since the invention of LISP. A recent real-world
> application of these techniques is the use of small meta-programs to specify database
> queries, as used in the Microsoft LINQ extensions for .NET. It is important that .NET
> languages such as F# are able to leverage the functionality provided by LINQ and related
> components for heterogeneous execution, both for pragmatic reasons and as ...

> **Keywords**: GPUs, LINQ, database languages, domain specific languages, functional
> programming, meta-programming, reflection

2 When and how to develop domain-specific languages ■
Marjan Mernik, Jan Heering, Anthony M. Sloane
December 2005 **ACM Computing Surveys (CSUR)**, Volume 37 Issue 4
Publisher: ACM Press

Full text available: ⬛ pdf(318.02 KB)   Additional Information: full citation, abstract, references, citings, index terms

> Domain-specific languages (DSLs) are languages tailored to a specific application domain.
> They offer substantial gains in expressiveness and ease of use compared with general-
> purpose programming languages in their domain of application. DSL development is hard,
> requiring both domain knowledge and language development expertise. Few people have
> both. Not surprisingly, the decision to develop a DSL is often postponed indefinitely, if
> considered at all, and most DSLs never get beyond the applicatio ...

> **Keywords**: Domain-specific language, application language, domain analysis, language
> development system

3 Stateless programming as a motif for teaching computer science ■
Avi Cohen
December 2004 **Journal on Educational Resources in Computing (JERIC)**, Volume 4 Issue 4
Publisher: ACM Press

IEEE *Xplore* ®
RELEASE 2.3

Welcome United States Patent and Trademark Office

Search Results

BROWSE   SEARCH   IEEE XPLORE GUIDE   SUPPORT

Results for "((+clr and +xml and query protocol and object and template)<in>metadata)"

✉ e-mail   🖶 printer friendly

Your search matched **0** documents.

A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» Search Options

View Session History

New Search

Modify Search

((+clr and +xml and query protocol and object and template)<in>metadata)	**Search** ▷

☐ Check to search only within this results set

Display Format: ⦿ Citation   ◯ Citation & Abstract

» Key

IEEE JNL	IEEE Journal or Magazine
IET JNL	IET Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IET CNF	IET Conference Proceeding
IEEE STD	IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your search.

Help   Contact Us   Privacy & Security   IEEE.org

Indexed by
Inspec